

Notice No. EE (B) / PCNTDA / 57-6.


Date :- 28 MAY 2019

Subject :- Providing and fixing Glass fibre reinforced concrete (GRC or GFRC) of cross-section of 12mm thickness TS EN 197-1 certified cement, sand which is clean, dry and ready for use silica sand with required granulometry containing for Construction fo Commercial Complex in Sector No. 24, SDC Nigadi, PCNTDA, Pune-411044

Interested manufacturers / Contractors / Suppliers are requested to submit sealed quotation of following items on or before 3.00 PM on 04/06/2019.

S.No.	Description of Item	Estimated Qty	Unit	Rate	Amount
1.	Providing and fixing Glass fibre reinforced concrete (GRC or GFRC) of cross-section of 12mm thickness TS EN 197-1 certified cement, sand which is clean, dry and ready for use silica sand with required granulometry containing more than 96% silica and suitable plasticizer to be used in order to improve process ability, reduce the curing time, obtain a high strength and a good quality of concrete in the concrete mix with screwing and fastening elements of certified material and make. Measure deviations in the joints between panels must not exceed the tolerances provided below. Panel size ≤ 3 m / deviation of joints ± 2 mm . Panel size 3 m to 6 m / deviation of joints ± 4 mm . Panel size ≥ 6 mt / deviation of joints ± 6 mm	810.00	Sqm		

Pls


Executive Engineer (B)
PCNTDA, Akurdi, Pune-44

Note :-

- 1) Quotation is for estimate purpose only.
- 2) GST as applicable shall be mentioned separately.
- 3) Rate is inclusive of supply / providing / fixing the item on site.